

Control Arm Pair, Motorsport, Rear Upper Adjustable, B6/B7 Audi A4/S4/RS4





These arms are manufactured from billet aluminum and feature genuine Aurora spherical bearings, allowing for over 4 degrees of camber adjustment, on top of what the stock eccentric bolt allows.

About This Guide

This Assembly Guide documents the process of the proper configuration prior to installation with the 034Motorsport parts that you have just purchased! Pictures and part numbers may vary, but the process remains the same.

Getting Started

 Confirm you have received all of the parts included with your purchase, if there are missing components, please contact customerservice@034motorsport.com

Collect the necessary tools required for installation by reading the complete Assembly Guide.



Supplied Parts:

- (2x) billet control arms with spherical bearings and circlips installed
- (4x) inner spacers
- (4x) outer spacers
- (2x) spherical heim joints with jam nuts
- (2x) dust boots
- (1x) anti-seize packet

Tools Needed:

- (2x) capable hands
- 24mm socket for jam nut install (optional)



^{*} We ship the dust boots uninstalled; once you have the alignment set, install the dust boots before final installation (optional).



Steps

Open hardware packages



Apply half packet of anti-seize to each spherical heim joint





• Run the jam nut down the shaft to disperse the anti-seize along the entire threaded portion



• Install the heim joint into the billet arms, leaving about 5-6 threads exposed



*Please note that the 401-Z016 spacer is associated with the spherical heim joint, and the 401-Z015 spacer is associated with the spherical bearing